



SAHH BEARING OF ENGLAND CORP.



2.165 Inch | 55 Millimeter x 3.937 Inch | 100
 Millimeter x 0.984 Inch | 25 Millimeter 2.165 Inch |
 55 Millimeter x 3.937 Inch | 100 Millimeter x 0.984
 Inch | 25 Millimeter SKF NU 2211 ECP/C3
 Belgium Bearing 55x100x25

Bearing No. NU 2211 ECP/C3

NU 2211 ECP/C3 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.812
EAN	7316577031808
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	55MM Bore; Straight Bore



SAHH BEARING OF ENGLAND CORP.

	Profile; 100MM Outside Diameter; 25MM Width; Polymer Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Int
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NU 2211 ECP/C3
Weight / LBS	1.788
B	0.984 Inch 25 Millimeter
d	2.165 Inch 55 Millimeter
D	3.937 Inch 100 Millimeter
bore diameter:	55 mm
static load capacity:	118 kN
outside diameter:	100 mm
precision rating:	Not Rated
overall width:	25 mm
maximum rpm:	8000 RPM
flanges:	(2) Outer Ring
bearing material:	Steel
bore type:	Straight
cage material:	Polyamide
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	25 mm



SAHH BEARING OF ENGLAND CORP.

operating temperature range:	Maximum of +300 ° F
fillet radius:	1.5 mm
dynamic load capacity:	114 kN
series:	NU22